

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	211100	plurality with ((data adj12 source) or computer or (image adj5 processing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:31
L2	16884	print\$3 with plurality with ((source) or computer or (image adj5 processing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:31
L3	2718	command with (determin\$3 or detect\$3 or recogniz\$3) with interpre\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:32
L4	762	(analysis or interpret\$3) with control\$3 with command with first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:33
L5	28	(determin\$3 or detect\$3) with command with different with select\$3 with (another or different) with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:54
L6	671	(determin\$3 or detect\$3 or select\$3) with (language or command or emulation) with (another or different) with select\$3 with (another or different) with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:55
L7	120	(prohibit\$3 or inhibit\$3) with (reception or receiv\$3) with (other or different or another) with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:56
L8	4715	5 and7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:39

## EAST Search History

L9	0	5 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:39
L10	1	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:39
L11	33	1 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:42
L12	33	1 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:42
L13	0	12 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:43
L14	29	"6178004".pn. or "6563596".pn. or "5422738".pn. or "6552743".pn. or "6753903".pn. or "6831755".pn. or "6882440".pn. or "6058465".pn. or "5293481".pn. or "6354752".pn. or "6351314".pn. or "6570664".pn. or "6052207".pn. or "6493472".pn. or "6507358".pn. or "20030174351".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:46
L15	27	(determin\$3 or detect\$3) with format with different with select\$3 with (another or different) with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:15
L16	448	(determin\$3 or detect\$3 or select\$3) with (format) with (another or different) with select\$3 with (another or different) with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:55

## EAST Search History

L17	448	(determin\$3 or detect\$3 or select\$3) with (another or different) with format with select\$3 with (another or different) with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:56
L18	0	(prohibit\$3 or inhibit\$3) with (reception or receiv\$3) with (other or different or another) with format with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:56
L19	11	(block\$3) with (reception or receiv\$3) with (other or different or another) with format with (source or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:58
L20	1	(block\$3) with (reception or receiv\$3) with (other or different or another) with format with (printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:57
L21	2	16 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:57
L22	10986	358/1.13.ccls. or 358/1.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 22:58
L23	6	17 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:01
L24	197549	print\$3 with (receiv\$3 or queue )job with (command or language or format) with current with (language or format or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:04

## EAST Search History

L25	25	print\$3 with (receiv\$3 or queue) with job with (command or language or format) with current with (language or format or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:11
L26	6955	22 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:11
L27	0	7 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:12
L28	0	5 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:12
L29	0	14 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:12
L30	19	14 and (command or language or format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:13
L31	1	14 and (prohibit\$3 or inhibit\$3 or allowed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:14
L32	226010	(determin\$3 or detect\$3) with (format or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:16

## EAST Search History

L33	11	30 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 23:16
-----	----	-----------	---	----	----	------------------